

WHE UNITED SIEWIES OF AVIEWOA

Michigan Agricultural Experiment Station

Withereas, there has been presented to the

Secretary of Agreemme

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, apporting it, or exporting it, or using it in producing a hybrid or different at therefrom, to the extent provided by the Plant Variety Protection Act.

Inited States seed of this variety (1) shall be sold by variety name only as a certified seed and (2) shall conform to the number of generations

THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

COMMON WHEAT

'Frankenmuth'

In Testimony Winerest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 14th day of January in the year of our Lord one thousand nine hundred and eighty-two.

Attest:

SymMa

Edmmissioner

Plant Variety Protection Office

Grain Division

Agricultural Marketing Service

John R Block Secretary of Agriculture

UNITED STATES DEPARTME	CETING SERVICE			FORM APP						
LIVESTOCK, POULTRY, GRA	IN & SEED DIVISION	N CERTIFICATE	No certificate for plat be issued unless a co- has been received (5 U	mpleted applicat						
INSTRUCTIONS: See Reverse. 1a. TEMPORARY DESIGNATION OF	1b. VARIETY NAME			AL USE ONLY						
VARIETY Frankenmuth	Frankenmut	h	PV NUMBER 8000165							
2. KIND NAME	3. GENUS AND SPE	CIES NAME	FILING DATE	TIME	A,M.					
Wheat	Triticum ae	stivum	9/30/80	3:00 P.N						
4. FAMILY NAME (BOTANICAL)	5 DATE OF DETER	RMINATION	500.00	9/30/80						
Gramineae	December 19 Feb. 15, 1	77 \$ 9/22 15	\$ 250.00	11/6/81						
6. NAME OF APPLICANT(S) Michigan Agricultural										
Experiment Station	Michigan St E. Lansing,	ate University MI 48824		517-353-9	1545					
9. IF THE NAMED APPLICANT IS NOT A P	ERSON, FORM OF		ED, GIVE STATE AND	11. DATE OF						
ORGANIZATION: (Corporation, partners) State-Federal Institution		DATE 01 110011								
12. NAME AND MAILING ADDRESS OF APP	LICANT REPRESENTA	ATIVE(S), IF ANY, TO	SERVE IN THIS APPLIC	ATION AND RE	CEIVE					
Dr. L.O. Copeland, Associ	ata Professor.	Dept. of Crop	and Soil Scier	ices,						
Michigan State University	, E. Lansing,	Michigan 48824	`````` <u>`</u>							
13. CHECK BOX BELOW FOR EACH ATTAC	HMENT SUBMITTED:									
X 13A. Exhibit A, Origin and Bre	eding History of the	Variety (See Section	52 of the Plant Variet	y Protection A	ct.)					
13B. Exhibit B, Novelty Stater	nent.									
X 13C. Exhibit C, Objective Desc	ription of the Variety	y (Request form fron	ı Plant Variety Protect	tion Office.)						
13D. Exhibit D, Additional De	scription of the Varie	ty.								
	-		RIETY NAME ONLY AS	S A CLASS OF C	ERTIFIEC					
SEED? (See Section 83(a). (If "Yes," answ	ver 14B and 14C below.	YES	NO							
14b. DOES THE APPLICANT(S) SPECIFY THA	AT THIS VARIETY BE FIONS?	14c. IF "YES," TO 1 TION BEYOND	4B, HOW MANY GENER BREEDER SEED?	HATIONS OF PR	ODUC-					
XX YES NO		X FOUNDATION	REGISTERED	X CERTIFIED						
15a. DID THE APPLICANT(S) FILE FOR PRO	TECTION OF THIS VA	RIETY IN OTHER COL	JNTRIES? TYES	X NO (If "	Yes," give					
name of countries and dates.										
			<u></u>							
15b. HAVE RIGHTS BEEN GRANTED THIS V	ARIETY IN OTHER CO	OUNTRIES? YES	NO (If "Yes,"	" give name of co	untries					
4.74										
16. DOES THE APPLICANT(S) AGREE TO T	NO									
17. The applicant(s) declare(s) that a vial replenished upon request in accordan	ole sample of basic sec ace with such regulation	ed of this variety will ons as may be applica	be furnished with the able.	application an	d will be					
The undersigned applicant(s) is (are) variety is distinct, uniform, and stabl 42 of the Plant Variety Act.	the owner(s) of this s e as required in Section	exually reproduced ron 41, and is entitled	novel plant variety, and to protection under t	he provisions of	t the f Section					
Applicant(s) is (are) informed that fa	lse representation her	ein can jeopardize pr	ptection and result in	penalties						
+ July 21, 1980		X Miles	red 6 Ml	Moen	<u> </u>					
(DATE)			(SIGNATURE OF APPL	LICANT)	1					

INSTRUCTIONS

GENERAL: Send an original copy of the application and exhibits, at least 2,500 viable seeds, and \$500 fee (\$250 filing fee and \$250 examination fee) to U.S. Dept. of Agriculture, Agricultural Marketing Service, Livestock, Poultry, Grain and Seed Division, Plant Variety Protection Office, National Agricultural Library Building, Beltsville, Maryland 20705. (See section 180.175 of the Regulations and Rules of Practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- Give the date the applicant determined that he had a new variety based on (1) the definition in section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method; (2) the details of subsequent stages of selection and multiplication; (3) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4) evidence of uniformity and stability.
- Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties:

 (1) identify these varieties and state all differences objectively; (2) attach statistical data for characters expressed numerically and demonstrate that these differences are significant; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- 13c Fill in the Exhibit C, Objective Description form, for all characteristics for which you have adequate data.
- Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe, such as, plant habit, plant color, disease resistance, etc.
- If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled, his decision published, or the certificate has been issued. However, if the applicant specified "NO," he may change his choice. (See section 180.16 of the Regulations and Rules of Practice.)
- See section 42 of the Plant Variety Protection Act and section 180.7 of the Regulations and Rules of Practice.

EXHIBIT A - ORIGIN AND BREEDING HISTORY

Frankenmuth is an F_5 selection from a 1967 cross of Norin 10/Brevor14//Yorkwin/3 /2*Genesee, A3141/4/Genesee*3/Redcoat, A5115. Selections were made for Hessian fly resistance, leaf rust resistance, and milling and baking quality. After each cross, selections with acceptable plant type and resistance were further tested for yield and quality performance at a number of locations. Only superior lines with high stable performance were used in subsequent crosses.

Concerning Exhibit A, the following information should clarify the selection procedures for all generations:

- F₁ Bulk harvested from original crosses.
- F₂ Planted in 12-18 ft. rows and 300 individual plants were selected on basis of plant type, mildew, and rust characteristics.
- F₃ Established in four 18 ft. rows and 200 individual plants were selected on basis of plant # type, mildew and leaf rust characteristics.
- F₄ Planted in four 18 ft. rows and 100 heads were selected on basis of mildew, leaf rust and Hessian fly resistance.
- F_5 Three ft. headrows planted and 100 heads selected on basis of mildew, leaf rust and Hessian fly resistance.
- F6 Four 18 ft. preliminary yield plots established. No selection.
- F7 Advanced yield plots no selection.
- Fg Advanced yield plots no selection.
- F₉ Advanced yield plots no selection.
- F10 500 headrows planted and 400 were selected and bulked for breeder seed on basis of plant type and mildew, Hessian fly, and leaf rust resistance.

Frankenmuth is uniform and stable for the characteristics described and within the limits of the acceptable variants as follows.

1. Bearded brown chaffed variant (102 cm high) - 0.03%

- 2. Apically awnleted white headed variant (102 cm high) 0.25%
- 3. Taller apically awnleted white headed variant (108-112 cm high) 0.25%

EXHIBIT B - NOVELTY STATEMENT

Frankenmuth is a beardless soft white winter wheat with a slight tendency to have awnlets on the apical spikelets. It has brown colored glumes at maturity, and a rather large head (13 x 90cm), tapering slightly toward the apex. The soft white variety closest in appearance is probably Yorkstar, however, Frankenmuth is about 1 in. taller in straw height and tends to be about 2 lb. higher in test weight. It is very similar to Augusta in plant and seed characteristics, but is about one inch taller and has brown colored chaff compared to white chaff for Augusta. It has resistance to races A and C of Hessian fly compared to none for Augusta and Yerkstan

A9/23/8/

• •

FORM GR-470-6 (2-15-73)

17

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782 OBJECTIVE DESCRIPTION OF VARIETY

EXHIBIT C

INSTRUCTIONS: See Reverse. NAME OF APPLICANT(S) Michigan Agricultural Experiment Station	FOR OFFICIAL USE ONLY
·魏···································	PVPO NUMBER 8000165
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	VARIETY NAME OF TEMPORARY
Michigan State University	DESIGNATION AND SHARE DE
East Lansing, Michigan 48824	Frankenmuth
Place the appropriate number that describes the varietal character. Place a zero in first box (e.g. 089 or 09) when number	er of this variety in the boxes below. Tis either 99 or less or 9 or less.
1. KIND:	
1 1 = COMMON 2 = DURUM 3 = EMMER 4 = SPELT	5 = POLISH 6 = POULARD 7 = CLUB
2. TYPE: A specific cases — galaxies. Specific garagement	1=SOFT 3=OTHER (Specify)
2 1 = SPRING 2 = WINTER 3 # OTHER (Specify)	2 = HARD
1 1 = WHITE 2 = RED 3 = OTHER (Specify)	
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	
0 7 3 FIRST FLOWERING	0 78 LAST FLOWERING
4. MATURITY (50% Flowering):	
NO. OF DAYS EARLIER THAN	1 = ARTHUR 2 = SCOUT 3 = CHRIS
	4 = LEMHI : 5 = NUGAINES 6 = LEEDS
0 8 NO. OF DAYS LATER THAN	. 🔟 🕭 श्राट्टिश
5. PLANT HEIGHT (From soil level to top of head):	
1 0 4 cm. High 1 224 124 124 124 13	
1 2 CM. TALLER THAN	1 = ARTHUR 2 = SCOUT 3 = CHRIS
	4=LEMHI 5=NUGAINES 6=LEEDS
CM. SHORTER THAN	·· 🔛 proportion of the state o
6. PLANT COLOR AT BOOTING (See reverse):	7. ANTHER COLOR:
2 I = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN	1 = YELLOW 2 = PURPLE
8. STEM:	
Anthocyanin: 1 = ABSENT 2 = PRESENT	Waxy bloom: 1 = ABSENT 2 = PRESENT
Hairiness of last 1 = ABSENT 2 = PRESENT	Internodes: 1 = HOLLOW 2 = SOLID
0 3 NO. OF NODES (Originating from node above ground)	2 9 CM. INTERNODE LENGTH BETWEEN FLAG LEAF
9. AURICLES:	
Anthocyanin:] = ABSENT 2 = PRESENT	Hairiness: 1 = ABSENT 2 = PRESENT
10. LEAF:	
Flag leaf at 1 = ERECT 2 = RECURVED booting stage:	Flag leaf: 1 = NOT TWISTED 2 = TWISTED
3 = OTHER (Specify):	
Hairs of first leaf sheath: 1 = ABSENT 2 = PRESENT	Waxy bloom of flag leaf sheath: 1 = ABSENT 2 = PRESE
7 MM. LEAF WIDTH (First leaf below flag leaf)	2 A CM. LEAF LENGTH (First leaf below flag leaf):
photocopy of 9/2/81	<u> </u>

FORM GR-470-6 (REVERSE)	•
11. HEAD:	
Density: 1=LAX	Shape: I = TAPERING 2 = STRAP 3 = CLAVATE 4 = OTHER (Specify)
The state of the s	Control Me Control (Control Control Co
1 (-1	= AWNLETED 4 = AWNED
5 Color at maturity: 5 = BROWN 6 = BLACK 7 = OTHER	RED
9 0 CM. LENGTH	1 3 MM. WIDTH
12. GLUMES AT MATURITY:	
2 Length: 1 = SHORT (CA. 7 mm.) 2 = MEDIUM (CA. 8 mm.) 3 = LONG (CA. 9 mm.)	3 = Width: 1 = NARROW (CA. 3 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.)
Shoulder 1 = WANTING 2 = OBLIQUE 3 = ROUNDED shape: 4 = SQUARE 5 = ELEVATED 6 = APICULATE	Beak: 1 = OBTUSE 2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLOR:	14. SEEDLING ANTHOCYANIN:
I = WHITE 2 = RED 3 = PURPLE	1 = ABSENT 2 = PRESENT
15. JUVENILE PLANT GROWTH HABIT:	<u></u>
3 1 = PROSTRATE 2 = SEMI-ERECT 3 = EREC	To the second of
16, SEED:	
2 Shape: 1 = OVATE 2 = OVAL 3 = ELLIPTICAL	1 Cheek: 1 = ROUNDED 2 = ANGULAR
Brush: 1 = SHORT 2 = MEDIUM 3 = LONG	Brush: 1 = NOT COLLARED 2 = COLLARED
Phenol reaction 1 = IVORY • 2 = FAWN 3 = LT. BROWN (See instructions): 4 = BROWN 5 = BLACK 912218 (
Color: 1 = WHITE 2 = AMBER 3 = RED 4 = PURPLE	5 = OTHER (Specify)
6 2 aleril	
0 3 MM. WIDTH	4 2 GM. PER 1000 SEEDS
17. SEED CREASE:	The state of the s
Width: 1 = 60% OR LESS OF KERNEL 'WINOKA'	2 Depth: 1 = 20% OR LESS OF KERNEL 'SCOUT'
2 = 80% OR LESS OF KERNEL 'CHRIS'	2 = 35% OR LESS OF KERNEL 'CHRIS' 3 = 50% OR LESS OF KERNEL 'LEMHI'
3 = NEARLY AS WIDE AS KERNEL 'LEMHI'	3 - 50% OR LESS OF RERNEL LEMMI
18. DISEASE: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) STEM RUST (Races) LEAF RUST (Races)	T STRIPE RUST T LOOSE SMUT
POWDERY MILDEW BUNT	OTHER (Specify)
	The second secon
19. INSECT: (0 = Not Tested, 1 = Susceptible, 2 = Resistant) APHID (Bydv.)	GREEN BUG CEREAL LEAF BEETLE
OTHER (Specify) HESSIAN FLY	1 GP 2 A 1 B 2 C
RACES	
20. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SE	JBMITTED: SUDDER SUBSEQUE
CHARACTER NAME OF VARIETY	CHARACTER NAME OF VARIETY
Plant tillering Augusta	
Leaf size Augusta	Seed shape Augusta
Legi-color Augusta	Coleoptile elongation Augusta
Leaf carriage Augusta	Seedling pigmentation Augusta
INSTRUC	TIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysts. (See attachment.)

			<u> </u>																	OT(J <i>U</i> 	
Powdery Mildew Resistance	susceptible	susceptible	resistant	susceptible	susceptible	resistant	susceptible	resistant	susceptible	resistant	resistant	resistant	resistant	resistant	resistant	susceptible	susceptible	susceptible	resistant	susceptible	resistant	resistant
Leaf Rust Resistance	susceptible	resistant	resistant	resistant	susceptible	resistant	resistant	resistant	susceptible	resistant	resistant	resistant	resistant	susceptible	susceptible	resistant	susceptible	susceptible	resistant	susceptible	resistant	resistant
Lodging Resistance	very good	very good	very good	poog	good	very good	poog	very good	very good	very good	very good	very good	very good	very good	good	very good	very good	very good	very good	very good	good	very good
Winter Hardiness	poog	poog	poog	poog	good	poog	poog	very good	poog	very good	very good	very good	very good	very good	poog	very good	boog	poog	very good	very good	poog	very good
Hessian Fly Resistance	none	лопе	Races A & C	Races A & C	none	none	Race A	Races A & C	попе	all known races	reaction unknown	all known races	none	none	reaction unknown	Races A, C & F	all known races	Race A				
Test Weight (1bs)	59.0	57.7	59.4	59.5	59.5	57.7	59.7	61.1	57.5	60.4	58.5	60.5	60.5	60.4	59.0	60.5	58.8	58.6	58.2	60.5	58.5	59.0
Straw Height (in)	36	39	40	39	45	34	42	37.	39.	34	35	36	36	35	32	36	33	31	34	36	7.0	39
Chaff Color	bronze	white	brown	white	bronze	white	brown	white	bronze	white	white	white	white	white	white	white	white	white	white	white	white	white
Origin	New York	Michigan	Michigan	Canada	New York	New York	Michigan	Michigan	New York	Indiana	Wisconsin	Indiana	Indiana	Indiana	Indiana	Indiana	Pioneer	Pioneer	Illinois	Ohio	Indiana	Ohio
Variety	Arrow	Augusta	Frankenmuth	Fredrick	Genesee	Houser	Ionia	Tecumseh	Yorkstar	Abe	Argee	Arthur	Arthur 71	Beau	Downey	oasis.	Pioneer S-76	Pioneer S-78	Roland	Ruler	Sullivan	Titan

Wheat variety comparisons. (Exhibit D)

Table 1.

Sofr White Wheat Varieties

Soft Red Wheat Varieties

Table 6. Wheat, milling, and flour analytical and baking data, and quality scores, Michigan Drill Plot entries, 1979 crop.

			79174	70170	79174	79173	79172	17171	19170	2010	20172	70110	791.67	70:44	10175	70164	79162	19191	04147	70170	70170	70170	70107	70154	79155	79150	791-3	79152	79151	79150	STAND	IOI SERIES	MICHIGAN I		NO.	LOB .	
•			101 01000					TO1 B3024	101 83121					101 B2Z0Z			•		M028S	V87.0U	M0282	10000	00//5	70/09	1107/03	20100	20000	•		DANGE	STANDASD=791&3 (AUGUSTA)	RIES	DRILL PLOT SERIES		•	ENTRY	
		104. 2 A	101. 9 A	•	16	: د)C	4	N	Ò)	င	,	C	97. 6 B	N)	O		7	()	N	S	បា	٥	د.	ប្រ	,	N	N	N	Ç				•	SCORE	שורוד זאפ אזרוד זאפ	
9	3.	99.88	94. 3 C	U	١,) (0 (200	92 I C	ω	79.1 F	90.8 C	100. 2 A	103.5 A	ጐ	이	94.2 C	ω	87. 3 D	102. O A	-	0	۰	•	ω	7		85. 6 D	٥	Ċ				,	SCORE	BUKING	
		99. 8 B	94. 3 C	90. 5 C	95. 2 B	17.0	07.0	91 2	92 6	101. S A	79. 1 F		N	97. 6 B	۰	이		7	ω.	C	•	C	<u>ۍ</u>	ح.	ω	7	N	Ŷ	¢.				. •		SCORE	COMBINED	
			11.4											11 2			11:										11.	10. 7	11. 1	11.0				FCT.	NOIS.	~	
		၈၁ ဝ	77. 5	73.0	78 3	/3 2	1.) () :) (77; 5	79.1	e ⊝ ⊶	ე დ	77 9	73	77.8)) - (7 (0 () - -	76.7	SO 7	က ဇ	ώ ~	79. 8	80.0	79. 6	77, 8	79. 8	79. 1	77.8				는 S	E S	1	
		0	10	10.4	10.5	10. 7	10. 9			- - -	- : - :	4	10 4	5 0	5 9	10:	11. 6	• ! • •		0 9	13 C	ر ان		11.0	13.10	11.0		12. 90		10.6				FCT.	PROT.		
	•	→ : 5 (0)	л (7	:.	: 55	1. 61	0	0.0		# . # (л (- ·	л о 0 о	· ·	4 : O	. 0	10		3 0	. 1 7	73	7 (7 (1 . ·	÷ :		in i	1 67	· ·	1 63				PCT.	ASH		
		э г о н) (1 (- () ·	S S S	33.7	33.4	G G	33.1	0	3 0			0 % X			34.	۵÷. \	0 0) ()) () () 1 () (4 () ()) () () (ω (Λ : Ο (2 (2)	بر د د	32 34	30 ×	34 7				PCT.	INDEX	PART.	
	*. *) \	1 1	o ;	0 : W :	90 D	10. 60	% &	9.5	12.00	30) (9 6) (c)) () <u>.</u>	13 30	12, 80	9	100) v	200		- N	3 5	3	0 -	1 4))	•	٠.			PCT.	CONT.	SIZING	•
	11.	-	: :-	:	<u>.</u>		ö	Ë	<u></u>	ō		ē	Ņ	10.		=	12.	12	10	12	į	1.	7	, i	3 7	; ;		• F	- ;	5					PASS		
	23. 9	NY. 4	18 N#) \) +	4 ¢	0	27.9*	26. 80	28.0*	27, 00	27. 60	K.O.	(4 ((0) (0) (0)) (3) (5)	29. 0	28.0*	29 8	24, 20	31. 9	25, 70	25. 60	(N) (9)	K 9.	N.F. (4))) N	1 . L K	100) N / C	ა ბ				PCT	STOUR STOUR	BREAK	
	77. 1	76. 1	76. 4	0) 0	,	76 1	76.6	76 9	75. 7	76. 9	75. 7	75	76. 5	76. 1	76.7	74. 30	75, 20	76.7	75, 00	77. 9	75.0*	75 0*	70.04	76. 0	16.	41		1 \ ? 1 L				;	LOT E	FLOUR		
	113.8	111.4	116.9	113.3	120.4		102	112 6	112 3	106. 3	112. 5	119.2	105.5	116.7	108.7	116.7	95. 6	97. 9	115, 2	တ မ	119 e	101.6	103.9	90. 6	100.3	112,7	107. 0	108. 9	103. 7					9000	MILLAG.		

L

Table 6 (contd.). Wheat, milling, and flour analytical and baking data, and quality scores, Michigan Drill Plot entries, 1979 crop.

ដូច្ច ភេសភ	13 13 13 6 6 1-	111111 2222	79150 13.4 79150 13.4 79153 13.7 79153 13.7 79154 14.0 79155 13.5 79156 13.7 79159 13.7 79159 13.7 79159 13.7 79159 13.7 79159 13.7	LAB HOIS, A
:0 :00	,		41 9.0 41 10.3 43 10.3 44 11.7 40 10.3 41 11.7 41 11.7 42 11.7 42 11.7 43 10.3 44 11.7 45 10.3 46 10.3 47 10.3 48 10.3 48 10.3 49 10.3 40 10.3 40 10.3 40 10.3 40 10.3 41 11.7 42 10.3 43 10.3 44 11.7 45 10.3 46 10.3 47 10.3 48 1	STR ASH FROT. FCT. FCT.
			53 54 54 54 54 54 54 54 54 54 54 54 54 54	STRAIGHT-GRADE VISC. VIS OT. AS IS AD CT. MACM. MAC
			77.55.75.75.75.75.75.75.75.75.75.75.75.7	ት ት
7 *	こりまれるひの	្ស ស្រុក (⊓	47.5 17.49.34 17.7 18.7 18.17.49.04 17.	12.25
⊷ v 0 ·	0 1 0 0 1 2 a	» ⊶ ⊷ ω <i>ν</i>	27,28,7,78,7,78 20,80,748,700,000 20,000,748,700,000 20,000,748,750,000	CCOKIE TOP DIAM. GRAII CM.
 279	 	. 31 . 29 . 29		IN ASH
N - 1	9.フィュ ら キョ	α4-α·	9 9 1 1 1 1 1 9 9 9 9 9 9 9 9 9 9 9 9 9	PROT.
327	• 00 00 00 00 00 00 00 00 00 00 00 00 00	32 88	00000000000000000000000000000000000000	CA INIT. F
323	770738	32 S 25	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	AKE PATENT FINAL CHLOR PH RESPO
			00000000000000000000000000000000000000	손님은 그
130	10000000	140 130 130	393939393939	FLOUR
1033	1055 1055 1065 1065	1048. 1068. 1068. 1059.	10044 10047 10047 10097 10097 10097 10097 10097	(A)
ខ្លួង	800000000000000000000000000000000000000	ခ် ⊨ လူ အ စို က လ ထို ထို	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	INTER- NAC SCORE



UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION NATIONAL AGRICULTURAL LIBRARY BUILDING BELTSVILLE, MARYLAND 20705

FEB 2 6 1982 .

Subject: Seed Sample of Protected Variety

Certificate No. 8000165

Kind and Variety - Wheat 'Frankenmuth'
Breeder - Michigan AGricultural Expt. Sta.

To: National Seed Storage Laboratory

Fort Collins, CO 80521

Attached is the above-identified sample and an Objective Description of Variety form in accordance with our Memorandum of Understanding and as agreed upon during my visit with Dr. Louis Bass on June 12, 1972.

One copy of this duplicate form showing the result of your germination test on 100 seeds of pure seed of this sample should be returned to this Office. Return of the duplicate form will serve as acknowledgement of receipt of the sample.

Germination:

79 8

Date: 4/82

Sincerely,

Bernard M. Leese

Commissioner

Plant Variety Protection Office

Attachment

In duplicate

An when

163540